

NIPPON KAIJI KYOKAI

Approval No. NKY-3640 Certificate No. TA231372E

Certificate **APPROVAL**

Article:

Welding Consumables for 2 1/4 Cr-1 Mo Steels

Brand:

CM-A106

Applicant:

Kobe Steel, Ltd., Saijo Plant

6400-1, Misonou, Saijo-Cho, Higashi-Hiroshima, Hiroshima, Japan

Manufacturer:

Kobe Steel, Ltd., Saijo Plant

6400-1, Misonou, Saijo-Cho, Higashi-Hiroshima, Hiroshima, Japan

Grade:

Manufacturer's Specification (AWS A5.5 E9016-B3)

Welding Process:

Manual Welding

Welding Positions and Max. Diameter of Electrode: See Table 1

Current:

AC and DCEP

Shielding Gas:

Not Applicable

Applicable Grade of Parent Material:

Class 1 and Class 2 of Grade 22 specified in

ASTM A387 and Equivalent Steels

Remarks:

Chemical composition and mechanical properties are to comply with the requirements specified in Table 2 and Table 3.

Test requirements for annual inspection are to comply with Table 4.

THIS IS TO CERTIFY that the above mentioned welding consumable has been approved by the NIPPON KAIJI KYOKAI in accordance with the requirements of the Society's Rules.

This Certificate will remain in force until 28 September 2024. Issued at Tokyo on 7 December 2023.

Y. Takao

General Manager

Material and Equipment Department

Note: The validity of this certificate may be renewed by endorsement on the attached sheet upon completion of the annual inspections.

Table 1 Welding Positions and Max. Diameter of Electrode

Butt Weld		Fillet Weld	
Flat:	5.0mm	Flat:	5.0mm
		Horizontal Vertical:	5.0mm
Horizontal:	5.0mm	Horizontal:	5.0mm
Overhead:	4.0mm	Horizontal Overhead:	4.0mm
		Overhead:	4.0mm
Vertical Upward:	4.0mm	Vertical Upward:	4.0mm
Vertical Downward:	Not Applicable	Vertical Downward:	Not Applicable

Table 2 Chemical Composition of Electrode (%)

	I WOIC =	CHOIMACAL	COMPOSI	OLOIL OL III		-/
С	Si	Mn	P	S	Cr	Mo
0.05	0.00	0.00	0.00	0.00	2.00	0.90
\sim	0.60	0.90	0.03	0.03	\sim	~
0.12	max.	max.	max.	max.	2.50	1.20

Table 3 Mechanical Properties after Stress Relief Annealing (1hour at 690°C)

Deposite	d Metal Tensile '	Test	Butt Weld Tensile Test
Tensile strength	Yield point	Elongation	Tensile strength
(N/mm ²)	(N/mm^2)	(%)	(N/mm^2)
621 min.	531 min.	17 min.	621 min.

Table 4 Test Requirements for Annual Inspection

	Lab	TO T LOST ITO	quirements	Hilliam Hispection
T7: 1 6	Tes	t assembly 1), 2), 3),4),5)		Kind and number of test specimens to be taken from test assembly
Kind of test	Number	Plate thickness (mm)	Welding position	Tensile test specimen ^{6),7)} : 1
Deposited metal test	1	20	Flat	

Notes:

- 1) The approved applicable grades of parent material are to be applied. Other parent material with appropriate buttering may be applied subject to the approval of the Society.
- 2) Shape and dimension of test assembly are to be in accordance with Fig. M6.1, Chapter 6, Part M of the NK Rules.
- 3) Test assembly is to be welded in accordance with 6.2.5, Chapter 6, Part M of the NK Rules.
- 4) The diameter of the wire is to be within the range specified by Kobe Steel, Ltd., Saijo Plant but not exceeding the maximum diameter approved.
- 5) Stress relief annealing is to be conducted under the condition of 1hour at 690°C.
- 6) Kind of test specimen is to be 1C specified in Table M3.1, Chapter 3, Part M of the NK Rules.
- 7) Mechanical properties are to comply with the requirements specified in Table 3.

Certificate No. TA231372E

The validity of this certificate has been renewed	The validity of this certificate has been renewed
until 28 SEP. 2025 .	until
Date: 24 S Surveyor Class 11	Date:Surveyor
The validity of this certificate has been renewed	The validity of this certificate has been renewed
until	until
Date:	Date:
Surveyor	Surveyor
The validity of this certificate has been renewed	The validity of this certificate has been renewed
until	until
Date:	Date:
Surveyor	Surveyor
The validity of this certificate has been renewed	The validity of this certificate has been renewed
until	until
Date:	Date:
Surveyor	
Survey or	Surveyor
The validity of this certificate has been renewed	Surveyor The validity of this certificate has been renewed
	Surveyor
The validity of this certificate has been renewed	Surveyor The validity of this certificate has been renewed